



SAFRAN INTERNATIONAL ARMS INDUSTRY

Safran Özkar was constituted in 1959. By the result of increase in export share and growth rate in the year 1997, the company received the title of Limited Company, and for the time being, the company is one of the rare companies to carry out the whole rifle and sub – industry production within its own facilities.

Our adventure that start with double barrel shotguns diverted to semi – automatic and pomp – action shotguns in the year 1994.

Safran Özkar which combines the stock of knowledge and experience obtained in years with creativity together with financial proficiency is keeping the target higher by carrying on its innovative investments. Safran Özkar who is following the technological innovations and integrates them in its work is introducing its company to the world by the successful exportations carried out.

Taking its power from a rich heritage, products of Safran is meeting its followers not only in Turkey but also in Russia, Ukraine, Greece, France, Malta, America, Lebanon, Europe and Middle East.

Please contact us from our address below with SAFRAN Company which has matchless design, innovative approach, qualified and reliable products.

As we do to our thousands of clients whose needs are supplied from one source in our field, we would like to state that we would be more than happy to supply you with products beyond your expectations.





ock Drop	&	Cast	Adjusment	Shims	S'

3 stock cast shims and 1 stock drop shim. Any shooter can adjust the stock drop & stock cast perfectly fitting himself and his shooting style by simply inserting one or more of the four special shims between the receiver and stock.





There are two types of cover options.



'n	CASI	SPACERS

1	l	_) レ	IJ	
	1		3	\	
	ŕ		1	Principle of the Parket	
The State of the S		Ü	Į	l	
Ť				Ť	

Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
Safran SR12	12 GA (Kinetic System)	3" -76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chorome finished Ni-Cr-Mo steel	28" /71cm	7mm	F, IM, M, IC, CYL	Manuel cross button	4+1	Fiber optic front sight	49" / 125cm	7lbs / 3,25kg

Drop at Comb

Drop at Heel

1 1/6

- , 3" /76mm magnum chamber, kinetic (inertia) semi auto
- Turkish walnut stock and fore-end with checkering.
- · Rubber butt pad for recoil absorption
- ·Black anodized air craft alloy receiver.
- Capability of firing both 31" /76mm and 2 ¾" /70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22" /55cm, 24" /61cm, 26" /66cm, 28" /71cm, and 30" /76cm
- · Checkered & ventilated anti-glare rib.
- Red fiber optic front sight
 Multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Sling swivels.

















Model	Stock	Milimeters (mm)	Inches
	Length of Pull	365	14 3/8
S 07- B1	Drop at Comb	30	1 1/6
	Drop at Heel	50	2

Stock Drop & Cast Adjusment Shims $_{\mathrm{STOCK\ DROP\ SPACERS}\ |\ \mathrm{STOK\ CAST\ SPACERS}}$

3 stock cast shims and 1 stock drop shim. Any shooter can adjust the stock drop & stock cast perfectly fitting himself and his shooting style by simply inserting one or more of the four special shims between the receiver and stock.







Model	Gauge	Chamber	Stock & Forend	Recoil Pad	Receiver	Barrel	Barrel Length	Barrel Rib	Chokes	Safety	Magazine Capacity	Sight	Overall Length	Average Weight
S 07- B1	12 GA (Kinetic System)	3" -76mm Magnum	Turkish walnut	Rubber	Black anodised air craft alloy	Black chorome finished Ni-Cr-Mo steel	28" /71cm	7mm	F, IM, M, IC, CYL	Manuel cross button	4+1	Fiber optic front sight	49" / 125cm	7lbs / 3,15kg

- , 3" /76mm magnum chamber, kinetic (inertia) semi auto shotgun.
- . Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption
- *Black anodized air craft alloy receiver with 11mm groove for scope
- Capability of firing both 31" /76mm and 2 ¾" /70mm shells.
- . Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22" /55cm, 24" /61cm, 26" /66cm, 28" /71cm, and 30" /76cm
- · Checkered & ventilated anti-glare rib.
- Red fiber optic front sight
- Multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
 Manual cross-button trigger safety.
- Sling swivels.































